

Amendments to the Claims:

This Listing of Claims will replace all prior versions and Listings of Claims in the application.

Listing of Claims:

1-20. Cancelled

21. A massage system comprising:

a hand-held massage unit including a housing having a handle and a head that is enlarged relative to the handle, the hand-held massage unit also including an electrically powered, percussive massager mechanism located at the head of the housing, the handle of the hand-held massage unit projecting outwardly from the head and including a length that extends from a first end to a second end of the handle, the head of the housing being located at the first end of the handle, and the hand-held massage unit also including an electric cord connected to the second end of the handle;

an elongated bar; and

a bracket for connecting the hand-held massage unit to the elongated bar, the bracket including a first end that connects to the handle of the hand-held massage unit and a second end that connects to the elongated bar, the bracket being moveable up and down a length of the elongated bar to adjust an elevation of the hand-held massage unit.

22. The massage system of claim 21, wherein the length of the elongated bar is at least 36 inches.

23. The massage system of claim 21, wherein the length of the handle is generally parallel to the length of the elongated bar.

24. The massage system of claim 21, further comprising mounting flanges and fasteners for mounting the elongated bar to a wall.

25. The massage system of claim 21, wherein the first end of the bracket is detachable from the hand-held massage unit.

26. The massage system of claim 21, wherein the bracket includes a first clamp positioned at the first end of the bracket for clamping the hand-held massage unit, and a second clamp at the second end of the bracket for clamping the elongated bar.

27. The massage system of claim 26, wherein the first clamp includes a first clamping arm that can be pivoted between open and closed positions, the first clamping arm clamping the handle of the hand-held massage unit in place relative to the bracket when in the closed position, and the handle of the hand-held massage unit being removable from the bracket when the first clamping arm is in the open position.

28. The massage system of claim 27, wherein the second clamp includes a second clamping arm that can be pivoted between tightened and loosened positions, the first clamping arm clamping the bracket in place relative to the elongated bar when in the tightened position, and the bracket being moveable up and down the elongated bar when the second clamping arm is in the loosened position.

29. The massage system of claim 21, wherein the bracket includes a central member that extends generally between the first and second ends of the bracket, wherein the bracket includes a first clamping arm located at the first end of the bracket and pivotally connected to the central member, wherein the bracket also includes a second clamping arm located adjacent the second end of the bracket and pivotally connected to the central member, and wherein the first clamping arm is adapted for clamping the handle of the hand-held massage unit and the second clamping arm is adapted for clamping the elongated bar.

30. The massage system of claim 29, wherein the central member defines a first concave surface that cooperates with the first clamping arm to define a first generally circular opening for receiving the handle of the hand-held massage unit.

31. The massage system of claim 30, wherein the central member defines a second concave surface that cooperates with the second clamping arm to define a second generally circular opening for receiving the elongated bar.

32. The massage system of claim 31, further comprising a first bolt for tightening and loosening the first clamping member and a second bolt for tightening and loosening the second clamping member.

33. The massage system of claim 32, wherein the first and second bolts respectively include first and second knobs for allowing the first and second bolts to be tightened and loosened by hand.